

Index to volume 101

Author index

A

- Adachi S (*see* Sakuda et al). 1992;101:210-20
 Adamidis IP, Spyropoulos MN. Hyoid bone position and orientation in Class I and Class III malocclusions. 1992;101:308-12
 Akamine A (*see* Shimizu et al). 1992;101:393-402 (Case rep.)
 Amelotti C (*see* Grandori et al). 1992;101:441-8
 Aono M (*see* Shimizu et al). 1992;101:393-402 (Case rep.)
 Arai HY (*see* Motoyoshi et al). 1992;101:431-40
 Arends J (*see* Ogaard et al). 1992;101:303-7
 Artun J, Hollender LG, Truelove EL. Relationship between orthodontic treatment, condylar position, and internal derangement in the temporomandibular joint. 1992;101:48-53
 — (*see* Popp et al). 1992;101:228-33
 Athanasiou AE, Droschl H, Bosch C. Data and patterns of transverse dentofacial structure of 6- to 15-year-old children: a posteroanterior cephalometric study. 1992;101:465-71
 Ayoub AF, Mostafa YA. Aberrant mandibular growth: theoretical implications. 1992;101:255-65

B

- Bahns TL (*see* Strobl et al). 1992;101:152-8
 Barbat LD. Orthodontic TMJ litigation in the 1990s: an ounce of prevention is worth a pound of cure. 1992;101:97-8 (Litigation/legis. update)
 BeGole EA (*see* Haeger et al). 1992;101:459-64
 Behrents RG, White RA. TMJ research: responsibility and risk. 1992;101:1-3 (Viewpoint)
 — (*see* Mappes et al). 1992;101:145-51
 Bellon E (*see* Hans et al). 1992;101:54-9
 Benson BJ (*see* Geiger et al). 1992;101:403-7
 Bernreuter WK (*see* Sutton et al). 1992;101:70-8
 Bishara SE. Impacted maxillary canines: a review. 1992;101:159-71 (Special article)
 — (*see* Strobl et al). 1992;101:152-8
 — (*see* Willham and Bishara). 1992;101:313-7
 Bosch C (*see* Athanasiou et al). 1992;101:465-71
 Bowman D (*see* Klapper et al). 1992;101:425-30
 Brooks SL (*see* Widmalm et al). 1992;101:60-9
 Butler ML (*see* Harris and Butler). 1992;101:112-9

C

- Chee SOL (*see* Dugoni et al). 1992;101:501-8 (Case rep.)

January, pp. 1-100; February, pp. 101-198; March, pp. 199-296; April, pp. 297-392; May, pp. 393-490; June, pp. 491-590.

- Clark JR. Orthodontic practice in the 90s "The second golden age". 1992;101:484-5 (Litigation/legis. update)
 Compton AM, Meyers CE Jr, Hondrum SO, Lorton L. Comparison of the shear bond strength of a light-cured glass ionomer and a chemically cured glass ionomer for use as an orthodontic bonding agent. 1992;101:138-44
 Cordray FE. A crisis in orthodontists? It's time to look within. 1992;101:472-6 (Viewpoint)

D

- Demro JG (*see* Kremenak et al). 1992;101:21-7
 Dermaut L (*see* Surmont et al). 1992;101:414-9
 Doleski KA (*see* Kremenak et al). 1992;101:21-7
 Douvartzidis N (*see* Proffit et al). 1992;101:556-65 (Special article)
 Droschl H (*see* Athanasiou et al). 1992;101:465-71
 Dugoni SA, Chee SOL, Harnick DJ. Mixed-dentition treatment. 1992;101:501-8 (Case rep.)

E

- Egermark I, Thilander B. Craniomandibular disorders with special reference to orthodontic treatment: an evaluation from childhood to adulthood. 1992;101:28-34
 Eirew HL. The end of an era. 1992;101:477-82 (Special article)
 Eliades G (*see* Eliades et al). 1992;101:420-4
 Eliades T, Viazis AD, Eliades G. Enamel fluoride uptake from an experimental fluoride-releasing orthodontic adhesive. 1992;101:420-4
 Ewing M, Ross RB. Soft tissue response to mandibular advancement and genioplasty. 1992;101:550-5

F

- Fine MB, Lavelle CLB. Diagnosis of skeletal form on the lateral cephalogram with a finite element-based expert system. 1992;101:318-29
 Fleetham JA (*see* Tsuchiya et al). 1992;101:533-42
 Foley TF, Mamandras AH. Facial growth in females 14 to 20 years of age. 1992;101:248-54
 Fricker JP. A 12-month clinical evaluation of a glass polyalkenoate cement for the direct bonding of orthodontic brackets. 1992;101:381-4 (Clin. corner)

G

- Gay T (*see* Rendell et al). 1992;101:84-7
 Geiger AM, Gorelick L, Gwinnett AJ, Benson BJ. Reducing white spot lesions in orthodontic populations with fluoride rinsing. 1992;101:403-7
 Gjerdet NR (*see* Grimsdottir et al). 1992;101:525-32

- Gjessing P. Controlled retraction of maxillary incisors. 1992;101:120-31
- Goldberg J (see Hans et al). 1992;101:54-9
- Gorelick L (see Geiger et al). 1992;101:403-7
- Grandori F, Merlini C, Amelotti C, Piasente M, Tadini G, Ravazzani P. A mathematical model for the computation of the forces exerted by the facial orthopedic mask. 1992;101:441-8
- Greenberg SN (see Nasiopoulos et al). 1992;101:276-80
- Grimsdottir MR, Gjerdet NR, Hensten-Pettersen A. Composition and in vitro corrosion of orthodontic appliances. 1992;101:525-32
- Gwinnett AJ (see Geiger et al). 1992;101:403-7

H

- Haeger RS, Schneider BJ, BeGole EA. A static occlusal analysis based on ideal interarch and intraarch relationships. 1992;101:459-64
- Hans MG, Lieberman J, Goldberg J, Rozenzweig G, Bellon E. A comparison of clinical examination, history, and magnetic resonance imaging for identifying orthodontic patients with temporomandibular joint disorders. 1992;101:54-9
- Harman HA (see Kremenak et al). 1992;101:13-20
- (see Kremenak et al). 1992;101:21-7
- Harnick DJ (see Dugoni et al). 1992;101:501-8 (Case rep.)
- Harris EF, Butler ML. Patterns of incisor root resorption before and after orthodontic correction in cases with anterior open bites. 1992;101:112-9
- (see Mappes et al). 1992;101:145-51
- Harrison SD (see Kremenak et al). 1992;101:21-7
- Hatala MP (see Paesani et al). 1992;101:41-7
- (see Widmalm et al). 1992;101:60-9
- Heft MW (see Hirata et al). 1992;101:35-40
- Hensten-Pettersen A (see Grimsdottir et al). 1992;101:525-32
- Hernandez B (see Hirata et al). 1992;101:35-40
- Hertweck DW (see Wardlaw et al). 1992;101:234-43
- Hildebolt CF (see Wardlaw et al). 1992;101:234-43
- Hirata RH, Heft MW, Hernandez B, King GJ. Longitudinal study of signs of temporomandibular disorders (TMD) in orthodontically treated and nontreated groups. 1992;101:35-40
- Hollender LG (see Artun et al). 1992;101:48-53
- Hondrum SO (see Compton et al). 1992;101:138-44
- Hunter WS (see Mair and Hunter). 1992;101:543-9

I

- Inoue H (see Sakuda et al). 1992;101:210-20
- Inoue Y (see Sakuda et al). 1992;101:210-20

J

- Jakobsen JR (see Kremenak et al). 1992;101:13-20
- (see Kremenak et al). 1992;101:21-7
- Jensen AC, Sinclair PM, Wolford LM. Soft tissue changes associated with double jaw surgery. 1992;101:266-75
- Jerrold L. Terminating the doctor-patient relationship: Abandonment or not? 1992;101:570-1 (Litigation/legis. update)
- Johnston LE Jr (see Luecke and Johnston). 1992;101:4-12
- Joyner JR. Successful practice transition—What's the price? 1992;101:288-9 (Litigation/legis. update)

K

- Kapila S (see Zylinski et al). 1992;101:514-8
- Kataja M (see Peck et al). 1992;101:519-24
- Kelly MT (see Rueggeberg et al). 1992;101:342-9
- King GJ (see Hirata et al). 1992;101:35-40

- Kinser DD (see Kremenak et al). 1992;101:13-20
- (see Kremenak et al). 1992;101:21-7

Kirk WS Jr. Failure of surgical orthodontics due to temporomandibular joint internal derangement and postsurgical condylar resorption. 1992;101:375-80 (Case rep.)

Klapper L, Navarro SF, Bowman D, Pawlowski B. The influence of extraction and nonextraction orthodontic treatment on brachyfacial and dolichofacial growth patterns. 1992;101:425-30

Kremenak CR, Kinser DD, Harman HA, Menard CC, Jakobsen JR. Orthodontic risk factors for temporomandibular disorders (TMD). I. Premolar extractions. 1992;101:13-20

—, —, Melcher TJ, Wright GR, Harrison SD, Ziaja RR, Harman HA, Ordahl JN, Demro JG, Menard CC, Doleski KA, Jakobsen JR. Orthodontics as a risk factor for temporomandibular disorders (TMD). II. 1992;101:21-7

Kurita K (see Paesani et al). 1992;101:41-7

L

- Lakshminarayanan AV (see Sutton et al). 1992;101:70-8
- Lavelle CLB (see Fine and Lavelle). 1992;101:318-29
- Lieberman J (see Hans et al). 1992;101:54-9
- Ligtheim-Bakker ASWMR, Wattel E, Uljee IH, Prah-Andersen B. Vertical growth of the anterior face: a new approach. 1992;101:509-13
- Linge L (see Popp et al). 1992;101:228-33
- Lorton L (see Compton et al). 1992;101:138-44
- Lowe AA (see Tsuchiya et al). 1992;101:533-42
- Lowenstein A, Milton L, Braun. 1992;101:192-3 (In memoriam)
- Luecke PE III, Johnston LE Jr. The effect of maxillary first premolar extraction and incisor retraction on mandibular position: testing the central dogma of "functional orthodontics". 1992;101:4-12
- Lundström A (see Lundström and Lundström). 1992;101:244-7
- Lundström F, Lundström A. Natural head position as a basis for cephalometric analysis. 1992;101:244-7

M

- Maher FT (see Rueggeberg et al). 1992;101:342-9
- Mair AD, Hunter WS. Mandibular growth direction with conventional Class II nonextraction treatment. 1992;101:543-9
- Mamandras AH (see Foley and Mamandras). 1992;101:248-54
- Mappes MS, Harris EF, Behrens RG. An example of regional variation in the tempos of tooth mineralization and hand-wrist ossification. 1992;101:145-51
- Martens L (see Surmont et al). 1992;101:414-9
- McCutcheon MJ (see Sutton et al). 1992;101:70-8
- Melcher TJ (see Kremenak et al). 1992;101:21-7
- Melnik AK. A cephalometric study of mandibular asymmetry in a longitudinally followed sample of growing children. 1992;101:355-66
- Menard CC (see Kremenak et al). 1992;101:13-20
- (see Kremenak et al). 1992;101:21-7
- Meng C-L (see Wang and Meng). 1992;101:350-4
- Merlini C (see Grandori et al). 1992;101:441-8
- Meyers CE Jr (see Compton et al). 1992;101:138-44
- Mitchell DL. The first direct bonding in orthodontia, revisited. 1992;101:187-9 (Viewpoint)
- Moors M (see Surmont et al). 1992;101:414-9
- Morrow D, Wood DP, Speechley M. Clinical effect of subgingival chlorhexidine irrigation on gingivitis in adolescent orthodontic patients. 1992;101:408-13
- Moss JP. Professor William Houston, 1938-1991. 1992;101:286-7 (In memoriam)

- Mostafa YA (see Ayoub and Mostafa). 1992;101:255-65
Motoyoshi M, Namura S, Arai HY. A three-dimensional measuring system for the human face using three-directional photography. 1992;101:431-40
Murakami T (see Shimizu et al). 1992;101:393-402 (Case rep.)

N

- Nakagawa K (see Sakuda et al). 1992;101:210-20
Nakata S (see Shimizu et al). 1992;101:393-402 (Case rep.)
Namura S (see Motoyoshi et al). 1992;101:431-40
Nanda RS, Nanda SK. Considerations of dentofacial growth in long-term retention and stability: Is active retention needed? 1992;101:297-302
— (see Zylinski et al). 1992;101:514-8
Nanda SK (see Nanda and Nanda). 1992;101:297-302
Nasiopoulos AT, Taft L, Greenberg SN. A cephalometric study of Class II, Division 1 treatment using differential torque mechanics. 1992;101:276-80
Navarro SF (see Klapper et al). 1992;101:425-30
Newman GV. First direct bonding in orthodontia. 1992;101:190-1 (Viewpoint)
—, Limited orthodontics for the older population: multidisciplinary modalities. 1992;101:281-5 (Clin. corner)
Nobel PM, Waters NE. Investigation into the behavior of symmetrically and asymmetrically activated face-bows. 1992;101:330-41
Norton LA (see Rendell et al). 1992;101:84-7

O

- Øgaard B, Rezk-Lega F, Ruben J, Arends J. Cariostatic effect and fluoride release from a visible light-curing adhesive for bonding of orthodontic brackets. 1992;101:303-7
Ohmae H (see Sakuda et al). 1992;101:210-20
Ordahl JN (see Kremenak et al). 1992;101:21-7

P

- Pae E-K (see Tsuchiya et al). 1992;101:533-42
Paesani D, Westesson P-L, Hatala M, Tallents RH, Kurita K. Prevalence of temporomandibular joint internal derangement in patients with craniomandibular disorders. 1992;101:41-7
— (see Widmalm et al). 1992;101:60-9
Parkhouse RC. Differential tooth movement in "uphill cases". 1992;101:491-500 (Case rep.)
Pawlowski B (see Klapper et al). 1992;101:425-30
Pearman RR. Total quality experience. 1992;101:385-7 (Litigation/legis. update)
Peck L (see Peck et al). 1992;101:519-24
Peck S, Peck L, Kataja M. Some vertical lineaments of lip position. 1992;101:519-24
Phillips C (see Proffit et al). 1992;101:556-65 (Special article)
Piasente M (see Grandori et al). 1992;101:441-8
Popp TW, Artun J, Linde L. Pulpal response to orthodontic tooth movement in adolescents: a radiographic study. 1992;101:228-33
Prah-Andersen B (see Ligthelm-Bakker et al). 1992;101:509-13
Proffit WR, Phillips C, Douvartzidis N. A comparison of outcomes of orthodontic and surgical-orthodontic treatment of Class II malocclusion in adults. 1992;101:556-65 (Special article)

R

- Ravazzani P (see Grandori et al). 1992;101:441-8
Rendell JK, Norton LA, Gay T. Orthodontic treatment and temporomandibular joint disorders. 1992;101:84-7
Rezk-Lega F (see Øgaard et al). 1992;101:303-7

- Richardson M. Lower arch crowding in the young adult. 1992;101:132-7
Ross RB (see Ewing and Ross). 1992;101:550-5
Rozencweig G (see Hans et al). 1992;101:54-9
Ruben J (see Øgaard et al). 1992;101:303-7
Rueggeberg FA, Maher FT, Kelly MT. Thermal properties of a methyl methacrylate-based orthodontic bonding adhesive. 1992;101:342-9

S

- Sadowsky C. The risk of orthodontic treatment for producing temporomandibular mandibular disorders: a literature overview. 1992;101:79-83
Sadowsky L (see Sutton et al). 1992;101:70-8
Sakuda M, Tanne K, Tanaka E, Takasugi H. An analytic method for evaluating condylar position in the TMJ and its application to orthodontic patients with painful clicking. 1992;101:88-96
—, —, Yoshida K, Inoue H, Ohmae H, Tsuchiya M, Adachi S, Nakagawa K, Inoue Y. Integrated information-processing system in clinical orthodontics: an approach with use of a computer network system. 1992;101:210-20
Schneider BJ (see Haeger et al). 1992;101:459-64
Shimizu K, Nakata S, Murakami T, Tamari K, Takahama Y, Akamine A, Aono M. Long-term occlusal guidance of a severely intoxicated patient with yusho (PCB poisoning): a case report. 1992;101:393-402 (Case rep.)
Siersbæk-Nielsen S (see Solow and Siersbæk-Nielsen). 1992;101:449-58
Silver WE. Meyer "Mike" Eggatz 1907-1991. 1992;101:193 (In memoriam)
Sinclair PM (see Jensen et al). 1992;101:266-75
Smith RJ (see Wardlaw et al). 1992;101:234-43
— (see Weinbach and Smith). 1992;101:367-74
Solow B, Siersbæk-Nielsen S. Cervical and craniocervical posture as predictors of craniofacial growth. 1992;101:449-58
Southard KA (see Southard et al). 1992;101:221-7
Southard TE, Southard KA, Tolley EA. Periodontal force: a potential cause of relapse. 1992;101:221-7
Speechley M (see Morrow et al). 1992;101:408-13
Spyropoulos MN (see Adamidis and Spyropoulos). 1992;101:308-12
Strobl K, Bahns TL, Willham L, Bishara SE, Stwalley WC. Laser-aided debonding of orthodontic ceramic brackets. 1992;101:152-8
Stwalley WC (see Strobl et al). 1992;101:152-8
Surmont P, Deraut L, Martens L, Moors M. Comparison in shear bond strength of orthodontic brackets between five bonding systems related to different etching times: an in vitro study. 1992;101:414-9
Sutton DI, Sadowsky L, Bernreuter WK, McCutcheon MJ, Lakshminarayanan AV. Temporomandibular joint sounds and condyle/disk relations on magnetic resonance images. 1992;101:70-8
Sylvester EV. A simple technique to minimize patient cross-contamination. 1992;101:566 (Clin. corner)

T

- Tadini G (see Grandori et al). 1992;101:441-8
Taft L (see Nasiopoulos et al). 1992;101:276-80
Takahama Y (see Shimizu et al). 1992;101:393-402 (Case rep.)
Takasugi H (see Sakuda et al). 1992;101:88-96
Tallents RH (see Paesani et al). 1992;101:41-7
Tamari K (see Shimizu et al). 1992;101:393-402 (Case rep.)
Tanaka E (see Sakuda et al). 1992;101:88-96

- Tanne K (*see* Sakuda et al). 1992;101:88-96
— (*see* Sakuda et al). 1992;101:210-20
Thilander B (*see* Egermark and Thilander). 1992;101:28-34
Tolley EA (*see* Southard et al). 1992;101:221-7
Trulove EL (*see* Artun et al). 1992;101:48-53
Tsuchiya M, Lowe AA, Pae E-K, Fleetham JA. Obstructive sleep apnea subtypes by cluster analysis. 1992;101:533-42
— (*see* Sakuda et al). 1992;101:210-20
- U
- Uljee IH (*see* Ligtheim-Bakker et al). 1992;101:509-13
- V
- Viazis AD (*see* Eliades et al). 1992;101:420-4
- W
- Wade DB. ABO certification—a worthy goal. 1992;101:483
Wang WN, Meng C-L. A study of bond strength between light- and self-cured orthodontic resin. 1992;101:350-4
Wardlaw DW, Smith RJ, Hertweck DW, Hildebolt CF. Cephalometrics of anterior open bite: a receiver operating characteristic (ROC) analysis. 1992;101:234-43
Warren DW. Clinical application of the ACCO appliance. Part I. 1992;101:101-11 (Case rep.)
— . Clinical application of the ACCO appliance. Part II. 1992;101:199-209 (Case rep.)
- Waters NE (*see* Nobel and Waters). 1992;101:330-41
Wattel E (*see* Ligtheim-Bakker et al). 1992;101:509-13
Weinbach JR, Smith RJ. Cephalometric changes during treatment with the open bite bionator. 1992;101:367-74
Westesson P-L (*see* Paesani et al). 1992;101:41-7
— (*see* Widmalm et al). 1992;101:60-9
Wheeler PW. Risk preclusion. 1992;101:194-5 (Litigation/legis. update)
- White RA (*see* Behrents and White). 1992;101:1-3 (Viewpoint)
Widmalm S-E, Westesson P-L, Brooks SL, Hatala MP, Paesani D. Temporomandibular joint sounds: correlation to joint structure in fresh autopsy specimens. 1992;101:60-9
Willham L (*see* Strobl et al). 1992;101:152-8
Willham OL, Bishara SE. Patient discomfort levels at the time of debonding: a pilot study. 1992;101:313-7
Wolford LM (*see* Jensen et al). 1992;101:266-75
Wood DP (*see* Morrow et al). 1992;101:408-13
Wright GR (*see* Kremenak et al). 1992;101:21-7
- Y
- Yoshida K (*see* Sakuda et al). 1992;101:210-20
- Z
- Ziaja RR (*see* Kremenak et al). 1992;101:21-7
Zylinski CG, Nanda RS, Kapila S. Analysis of soft tissue facial profile in white males. 1992;101:514-8

Subject index

A

Abandonment

Terminating the doctor-patient relationship: Abandonment or not? (Jerrold). 1992;101:570-1 (Litigation/legis. update)

Abstracts

Abstracts. 1992;101:99, 196-7, 290-5, 388-91, 486-9, 572-5

ACCO appliance

Clinical application of the ACCO appliance. Part I (Warren). 1992;101:101-11 (Case rep.)

Clinical application of the ACCO appliance. Part II (Warren). 1992;101:199-209 (Case rep.)

Activator appliances

Cephalometric changes during treatment with the open bite bionator (Weinbach and Smith). 1992;101:367-74

Adhesives

Cariostatic effect and fluoride release from a visible light-curing adhesive for bonding of orthodontic brackets (Øgaard et al). 1992;101:303-7

Comparison in shear bond strength of orthodontic brackets between five bonding systems related to different etching times: an in vitro study (Surmont et al). 1992;101:414-9

Enamel fluoride uptake from an experimental fluoride-releasing orthodontic adhesive (Eliades et al). 1992;101:420-4

Thermal properties of a methyl methacrylate-based orthodontic bonding adhesive (Rueggeberg et al). 1992;101:342-9

Adolescence

Clinical effect of subgingival chlorhexidine irrigation on gingivitis in adolescent orthodontic patients (Morrow et al). 1992;101:408-13

Facial growth in females 14 to 20 years of age (Foley and Mandras). 1992;101:248-54

Pulpal response to orthodontic tooth movement in adolescents: a radiographic study (Popp et al). 1992;101:228-33

Aged

Limited orthodontics for the older population: multidisciplinary modalities (Newman). 1992;101:281-5 (Clin. corner)

January, pp. 1-100; February, pp. 101-198; March, pp. 199-296; April, pp. 297-392; May, pp. 393-490; June, pp. 491-590.

Aging

Lower arch crowding in the young adult (Richardson). 1992;101:132-7

American Association of Orthodontists

Preliminary program of ninety-second annual session, May 9-13, 1992. 1992;101:172-86

American Association of Orthodontists Foundation

Foundation report—January 1992. 1992;101:567-8

American Board of Orthodontics

ABO certification—a worthy goal (Wade). 1992;101:483

Apnea

Obstructive sleep apnea subtypes by cluster analysis (Tsuchiya et al). 1992;101:533-42

Arthrography

Prevalence of temporomandibular joint internal derangement in patients with craniomandibular disorders (Paesani et al). 1992;101:41-7

Asymmetry; see Facial asymmetry

Automatic data processing

Integrated information-processing system in clinical orthodontics: an approach with use of a computer network system (Sakuda et al). 1992;101:210-20

Autopsy

Temporomandibular joint sounds: correlation to joint structure in fresh autopsy specimens (Widmalm et al). 1992;101:60-9

B

Bicuspid; see Premolar

Bionator; see Activator appliances

Body mass index

Obstructive sleep apnea subtypes by cluster analysis (Tsuchiya et al). 1992;101:533-42

Bond strength

Comparison in shear bond strength of orthodontic brackets between five bonding systems related to different etching times: an in vitro study (Surmont et al). 1992;101:414-9

Comparison of the shear bond strength of a light-cured glass ionomer and a chemically cured glass ionomer for use as an orthodontic bonding agent (Compton et al). 1992;101:138-44

A study of bond strength between light- and self-cured orthodontic resin (Wang and Meng). 1992;101:350-4

Bonding

- Cariostatic effect and fluoride release from a visible light-curing adhesive for bonding of orthodontic brackets (Øgaard et al). 1992;101:303-7
- Comparison in shear bond strength of orthodontic brackets between five bonding systems related to different etching times: an in vitro study (Surmont et al). 1992;101:414-9
- Comparison of the shear bond strength of a light-cured glass ionomer and a chemically cured glass ionomer for use as an orthodontic bonding agent (Compton et al). 1992;101:138-44
- The first direct bonding in orthodontia, revisited (Mitchell). 1992;101:187-9 (Viewpoint)
- First direct bonding in orthodontia (Newman). 1992;101:190-1 (Viewpoint)
- Laser-aided debonding of orthodontic ceramic brackets (Strobl et al). 1992;101:152-8
- Patient discomfort levels at the time of debonding: a pilot study (Willham and Bishara). 1992;101:313-7
- Thermal properties of a methyl methacrylate-based orthodontic bonding adhesive (Rueggeberg et al). 1992;101:342-9
- A 12-month clinical evaluation of a glass polyalkenoate cement for the direct bonding of orthodontic brackets (Fricker). 1992;101:381-4 (Clin. corner)

Bone development

- An example of regional variation in the tempos of tooth mineralization and hand-wrist ossification (Mappes et al). 1992;101:145-51

Bone resorption

- Failure of surgical orthodontics due to temporomandibular joint internal derangement and postsurgical condylar resorption (Kirk). 1992;101:375-80 (Case rep.)

Brachyfacial growth

- The influence of extraction and nonextraction orthodontic treatment on brachyfacial and dolichofacial growth patterns (Klapper et al). 1992;101:425-30

C**Canine**

- Impacted maxillary canines: a review (Bishara). 1992;101:159-71 (Special article)

Caries

- Reducing white spot lesions in orthodontic populations with fluoride rinsing (Geiger et al). 1992;101:403-7

Cariostatic agents

- Cariostatic effect and fluoride release from a visible light-curing adhesive for bonding of orthodontic brackets (Øgaard et al). 1992;101:303-7

Case reports

- Case reports. 1992;101:101-11, 199-209, 375-80, 393-402, 491-508

Cephalometry

- Cephalometric changes during treatment with the open bite bionator (Weinbach and Smith). 1992;101:367-74
- A cephalometric study of Class II, Division 1 treatment using differential torque mechanics (Nasiopoulos et al). 1992;101:276-80
- A cephalometric study of mandibular asymmetry in a longitudinally followed sample of growing children (Melnik). 1992;101:355-66
- Cephalometrics of anterior open bite: a receiver operating characteristic (ROC) analysis (Wardlaw et al). 1992;101:234-43

- Data and patterns of transverse dentofacial structure of 6- to 15-year-old children: a posteroanterior cephalometric study (Athanasios et al). 1992;101:465-71

- Diagnosis of skeletal form on the lateral cephalogram with a finite element-based expert system (Fine and Lavelle). 1992;101:318-29

- Mandibular growth direction with conventional Class II nonextraction treatment (Mair and Hunter). 1992;101:543-9

- Natural head position as a basis for cephalometric analysis (Lundström and Lundström). 1992;101:244-7

Ceramics

- Laser-aided debonding of orthodontic ceramic brackets (Strobl et al). 1992;101:152-8

Certification

- ABO certification—a worthy goal (Wade). 1992;101:483

Cervical posture; see Posture**Chlorhexidine**

- Clinical effect of subgingival chlorhexidine irrigation on gingivitis in adolescent orthodontic patients (Morrow et al). 1992;101:408-13

Class II malocclusion; see Malocclusion, Angle Class II**Clicking; see Joint sounds****Clinician's corner**

- Clinician's corner. 1992;101:281-5, 381-4, 566

Cluster analysis

- Obstructive sleep apnea subtypes by cluster analysis (Tsuchiya et al). 1992;101:533-42

Composite resins

- A study of bond strength between light- and self-cured orthodontic resin (Wang and Meng). 1992;101:350-4

Computer systems

- Integrated information-processing system in clinical orthodontics: an approach with use of a computer network system (Sakuda et al). 1992;101:210-20

Condylar position; see Mandibular condyle**Consumer satisfaction**

- Patient discomfort levels at the time of debonding: a pilot study (Willham and Bishara). 1992;101:313-7
- Total quality experience (Pearman). 1992;101:385-7 (Litigation/legis. update)

Corrosion

- Composition and in vitro corrosion of orthodontic appliances (Grimsdottir et al). 1992;101:525-32

Craniocervical posture; see Posture**Craniofacial growth; see Growth****Craniomandibular disorders; see Temporomandibular joint syndrome****Cross infection**

- A simple technique to minimize patient cross-contamination (Sylvester). 1992;101:566 (Clin. corner)

Crowding of teeth; see Malocclusion**D****Debonding; see Bonding****Dentition, mixed**

- Mixed-dentition treatment (Dugoni et al). 1992;101:501-8 (Case rep.)

Discomfort; see Pain**Doctor-patient relations; see Physician-patient relations****Dolichofacial growth**

- The influence of extraction and nonextraction orthodontic treatment

on brachyfacial and dolichofacial growth patterns (Klapper et al). 1992;101:425-30

E

Economics

Successful practice transition—What's the price? (Joyner). 1992;101:288-9 (Litigation/legis. update)

Elderly; see Aged

Enamel

Enamel fluoride uptake from an experimental fluoride-releasing orthodontic adhesive (Eliades et al). 1992;101:420-4

Equipment contamination

A simple technique to minimize patient cross-contamination (Sylvester). 1992;101:566 (Clin. corner)

Esthetics

A comparison of outcomes of orthodontic and surgical-orthodontic treatment of Class II malocclusion in adults (Proffit et al). 1992;101:556-65 (Special article)

Etching

Comparison in shear bond strength of orthodontic brackets between five bonding systems related to different etching times: an in vitro study (Surmont et al). 1992;101:414-9

Expert systems

Diagnosis of skeletal form on the lateral cephalogram with a finite element-based expert system (Fine and Lavelle). 1992;101:318-29

Extraction of teeth; see Tooth extraction

Extraoral traction appliances

Investigation into the behavior of symmetrically and asymmetrically activated face-bows (Nobel and Waters). 1992;101:330-41

F

Face

A three-dimensional measuring system for the human face using three-directional photography (Motoyoshi et al). 1992;101:431-40

Face, growth

Cervical and craniocervical posture as predictors of craniofacial growth (Solow and Siersbæk-Nielsen). 1992;101:449-58

Considerations of dentofacial growth in long-term retention and stability: Is active retention needed? (Nanda and Nanda). 1992;101:297-302

Facial growth in females 14 to 20 years of age (Foley and Mandras). 1992;101:248-54

The influence of extraction and nonextraction orthodontic treatment on brachyfacial and dolichofacial growth patterns (Klapper et al). 1992;101:425-30

Vertical growth of the anterior face: a new approach (Ligtheim-Bakker et al). 1992;101:509-13

Face bow; see Extraoral traction appliances

Facial asymmetry

A cephalometric study of mandibular asymmetry in a longitudinally followed sample of growing children (Melnik). 1992;101:355-66

Facial orthopedic mask; see Masks

Facial profile

Analysis of soft tissue facial profile in white males (Zylinski et al). 1992;101:514-8

Female

Facial growth in females 14 to 20 years of age (Foley and Mandras). 1992;101:248-54

Finite element method

Diagnosis of skeletal form on the lateral cephalogram with a finite element-based expert system (Fine and Lavelle). 1992;101:318-29

Fluorides

Cariostatic effect and fluoride release from a visible light-curing adhesive for bonding of orthodontic brackets (Øgaard et al). 1992;101:303-7

Enamel fluoride uptake from an experimental fluoride-releasing orthodontic adhesive (Eliades et al). 1992;101:420-4

Reducing white spot lesions in orthodontic populations with fluoride rinsing (Geiger et al). 1992;101:403-7

Food poisoning

Long-term occlusal guidance of a severely intoxicated patient with yusho (PCB poisoning): a case report (Shimizu et al). 1992;101:393-402 (Case rep.)

Forces

Investigation into the behavior of symmetrically and asymmetrically activated face-bows (Nobel and Waters). 1992;101:330-41

A mathematical model for the computation of the forces exerted by the facial orthopedic mask (Grandori et al). 1992;101:441-8

Foreign body reaction

Composition and in vitro corrosion of orthodontic appliances (Grimsdottir et al). 1992;101:525-32

Fraenkel, Rolf

The end of an era (Eirew). 1992;101:477-82 (Special article)

Future trends

Orthodontic practice in the 90s "The second golden age" (Clark). 1992;101:484-5 (Litigation/legis. update)

G

Genioplasty

Soft tissue response to mandibular advancement and genioplasty (Ewing and Ross). 1992;101:550-5

Germany

The end of an era (Eirew). 1992;101:477-82 (Special article)

Gingivitis

Clinical effect of subgingival chlorhexidine irrigation on gingivitis in adolescent orthodontic patients (Morrow et al). 1992;101:408-13

Glass ionomer cements

Comparison of the shear bond strength of a light-cured glass ionomer and a chemically cured glass ionomer for use as an orthodontic bonding agent (Compton et al). 1992;101:138-44

A 12-month clinical evaluation of a glass polyalkenoate cement for the direct bonding of orthodontic brackets (Fricker). 1992;101:381-4 (Clin. corner)

Growth

Aberrant mandibular growth: theoretical implications (Ayoub and Mostafa). 1992;101:255-65

A cephalometric study of mandibular asymmetry in a longitudinally followed sample of growing children (Melnik). 1992;101:355-66

Cervical and craniocervical posture as predictors of craniofacial growth (Solow and Siersbæk-Nielsen). 1992;101:449-58

Considerations of dentofacial growth in long-term retention and stability: Is active retention needed? (Nanda and Nanda). 1992;101:297-302

Facial growth in females 14 to 20 years of age (Foley and Mandras). 1992;101:248-54

The influence of extraction and nonextraction orthodontic treatment

Growth—cont'd

- on brachyfacial and dolichofacial growth patterns (Klapper et al). 1992;101:425-30
- Mandibular growth direction with conventional Class II nonextraction treatment (Mair and Hunter). 1992;101:543-9
- Vertical growth of the anterior face: a new approach (Ligtheim-Bakker et al). 1992;101:509-13

H**Hand**

- An example of regional variation in the tempos of tooth mineralization and hand-wrist ossification (Mappes et al). 1992;101:145-51

Helkimo scores

- Orthodontics as a risk factor for temporomandibular disorders (TMD). II (Kremenak et al). 1992;101:21-7

Historical articles

- The end of an era (Eirew). 1992;101:477-82 (Special article)
- The first direct bonding in orthodontia, revisited (Mitchell). 1992;101:187-9 (Viewpoint)
- First direct bonding in orthodontia (Newman). 1992;101:190-1 (Viewpoint)

Hyoid bone

- Hyoid bone position and orientation in Class I and Class III malocclusions (Adamidis and Spyropoulos). 1992;101:308-12

I**Ideal tooth relationship index**

- A static occlusal analysis based on ideal interarch and intraarch relationships (Haeger et al). 1992;101:459-64

Image processing, computer-assisted

- A three-dimensional measuring system for the human face using three-directional photography (Motoyoshi et al). 1992;101:431-40

Impacted tooth; see Tooth, impacted**In memoriam**

- Joseph Lyn Andrews. 1992;101:569
- Louis Tinthoff 1905-1991. 1992;101:192
- Meyer "Mike" Eggnatz 1907-1991 (Silver). 1992;101:193
- Milton L. Braun (Lowenstein). 1992;101:192-3
- Professor William Houston, 1938-1991 (Moss). 1992;101:286-7
- Will McLain Thompson, 1906-1991. 1992;101:287

Incisor

- Controlled retraction of maxillary incisors (Gjessing). 1992;101:120-31
- The effect of maxillary first premolar extraction and incisor retraction on mandibular position: testing the central dogma of "functional orthodontics" (Luecke and Johnston). 1992;101:4-12
- Patterns of incisor root resorption before and after orthodontic correction in cases with anterior open bites (Harris and Butler). 1992;101:112-9

Information processing system; see Automatic data processing**Integrated information processing system; see Automatic data processing****Internal derangement**

- A comparison of clinical examination, history, and magnetic resonance imaging for identifying orthodontic patients with temporomandibular joint disorders (Hans et al). 1992;101:54-9
- Prevalence of temporomandibular joint internal derangement in patients with craniomandibular disorders (Paesani et al). 1992;101:41-7

- Relationship between orthodontic treatment, condylar position, and internal derangement in the temporomandibular joint (Artun et al). 1992;101:48-53

Interproximal force

- Periodontal force: a potential cause of relapse (Southard et al). 1992;101:221-7

Irrigation

- Clinical effect of subgingival chlorhexidine irrigation on gingivitis in adolescent orthodontic patients (Morrow et al). 1992;101:408-13

J**Jaw**

- Soft tissue changes associated with double jaw surgery (Jensen et al). 1992;101:266-75

Joint sounds

- An analytic method for evaluating condylar position in the TMJ and its application to orthodontic patients with painful clicking (Sakuda et al). 1992;101:88-96
- Longitudinal study of signs of temporomandibular disorders (TMD) in orthodontically treated and nontreated groups (Hirata et al). 1992;101:35-40
- The risk of orthodontic treatment for producing temporomandibular mandibular disorders: a literature overview (Sadowsky). 1992;101:79-83
- Temporomandibular joint sounds: correlation to joint structure in fresh autopsy specimens (Widmalm et al). 1992;101:60-9
- Temporomandibular joint sounds and condyle/disk relations on magnetic resonance images (Sutton et al). 1992;101:70-8

Jurisprudence

- Orthodontic TMJ litigation in the 1990s: an ounce of prevention is worth a pound of cure (Barbat). 1992;101:97-8 (Litigation/legis. update)

L**Lasers**

- Laser-aided debonding of orthodontic ceramic brackets (Strobl et al). 1992;101:152-8

Lip

- Soft tissue changes associated with double jaw surgery (Jensen et al). 1992;101:266-75
- Some vertical lineaments of lip position (Peck et al). 1992;101:519-24

Litigation; see Jurisprudence**Litigation and legislation update**

- Litigation and legislation update. 1992;101:97-8, 194-5, 288-9, 385-7, 484-5, 570-1

M**Magnetic resonance imaging**

- A comparison of clinical examination, history, and magnetic resonance imaging for identifying orthodontic patients with temporomandibular joint disorders (Hans et al). 1992;101:54-9
- Prevalence of temporomandibular joint internal derangement in patients with craniomandibular disorders (Paesani et al). 1992;101:41-7
- Temporomandibular joint sounds and condyle/disk relations on magnetic resonance images (Sutton et al). 1992;101:70-8

Males

- Analysis of soft tissue facial profile in white males (Zylinski et al). 1992;101:514-8

Malocclusion

- Craniomandibular disorders with special reference to orthodontic treatment: an evaluation from childhood to adulthood (Egermark and Thilander). 1992;101:28-34
- Lower arch crowding in the young adult (Richardson). 1992;101:132-7
- Mixed-dentition treatment (Dugoni et al). 1992;101:501-8 (Case rep.)
- A static occlusal analysis based on ideal interarch and intraarch relationships (Haeger et al). 1992;101:459-64

Malocclusion, Angle Class I

- Hyoid bone position and orientation in Class I and Class III malocclusions (Adamidis and Spyropoulos). 1992;101:308-12

Malocclusion, Angle Class II

- A cephalometric study of Class II, Division I treatment using differential torque mechanics (Nasiopoulos et al). 1992;101:276-80
- Clinical application of the ACCO appliance. Part I (Warren). 1992;101:101-11 (Case rep.)
- Clinical application of the ACCO appliance. Part II (Warren). 1992;101:199-209 (Case rep.)
- A comparison of outcomes of orthodontic and surgical-orthodontic treatment of Class II malocclusion in adults (Proffit et al). 1992;101:556-65 (Special article)
- Mandibular growth direction with conventional Class II nonextraction treatment (Mair and Hunter). 1992;101:543-9

Malocclusion, Angle Class III

- Hyoid bone position and orientation in Class I and Class III malocclusions (Adamidis and Spyropoulos). 1992;101:308-12

Malpractice

- Orthodontic TMJ litigation in the 1990s: an ounce of prevention is worth a pound of cure (Barbat). 1992;101:97-8 (Litigation/legis. update)
- Risk preclusion (Wheeler). 1992;101:194-5 (Litigation/legis. update)

Mandible

- Aberrant mandibular growth: theoretical implications (Ayoub and Mostafa). 1992;101:255-65
- A cephalometric study of mandibular asymmetry in a longitudinally followed sample of growing children (Melnik). 1992;101:355-66
- The effect of maxillary first premolar extraction and incisor retraction on mandibular position: testing the central dogma of "functional orthodontics" (Luecke and Johnston). 1992;101:4-12
- Facial growth in females 14 to 20 years of age (Foley and Mandras). 1992;101:248-54
- Mandibular growth direction with conventional Class II nonextraction treatment (Mair and Hunter). 1992;101:543-9
- Soft tissue response to mandibular advancement and genioplasty (Ewing and Ross). 1992;101:550-5

Mandibular condyle

- Aberrant mandibular growth: theoretical implications (Ayoub and Mostafa). 1992;101:255-65
- An analytic method for evaluating condylar position in the TMJ and its application to orthodontic patients with painful clicking (Sakuda et al). 1992;101:88-96
- Failure of surgical orthodontics due to temporomandibular joint internal derangement and postsurgical condylar resorption (Kirk). 1992;101:375-80 (Case rep.)
- Relationship between orthodontic treatment, condylar position, and

internal derangement in the temporomandibular joint (Artun et al). 1992;101:48-53

The risk of orthodontic treatment for producing temporomandibular mandibular disorders: a literature overview (Sadowsky). 1992;101:79-83

Temporomandibular joint sounds and condyle/disk relations on magnetic resonance images (Sutton et al). 1992;101:70-8

Mandibular diseases

Craniomandibular disorders with special reference to orthodontic treatment: an evaluation from childhood to adulthood (Egermark and Thilander). 1992;101:28-34

Masks

A mathematical model for the computation of the forces exerted by the facial orthopedic mask (Grandori et al). 1992;101:441-8

Mathematical model; see Models, theoretical

Maxilla

- Controlled retraction of maxillary incisors (Gjessing). 1992;101:120-31
- Facial growth in females 14 to 20 years of age (Foley and Mandras). 1992;101:248-54
- Impacted maxillary canines: a review (Bishara). 1992;101:159-71 (Special article)

Methylmethacrylates

Thermal properties of a methyl methacrylate-based orthodontic bonding adhesive (Rueggeberg et al). 1992;101:342-9

Mixed dentition; see Dentition, mixed

Models, theoretical

A mathematical model for the computation of the forces exerted by the facial orthopedic mask (Grandori et al). 1992;101:441-8

N

Natural head position

Natural head position as a basis for cephalometric analysis (Lundström and Lundström). 1992;101:244-7

O

Obituaries

- Joseph Lyn Andrews. 1992;101:569 (In memoriam)
- Louis Tinthoff 1905-1991. 1992;101:192 (In memoriam)
- Meyer "Mike" Eggatz 1907-1991 (Silver). 1992;101:193 (In memoriam)
- Milton L. Braun (Lowenstein). 1992;101:192-3 (In memoriam)
- Professor William Houston, 1938-1991 (Moss). 1992;101:286-7 (In memoriam)
- Will McLain Thompson, 1906-1991. 1992;101:287 (In memoriam)

Obstructive sleep apnea; see Sleep apnea syndromes

Occlusion

Considerations of dentofacial growth in long-term retention and stability: Is active retention needed? (Nanda and Nanda). 1992;101:297-302

A static occlusal analysis based on ideal interarch and intraarch relationships (Haeger et al). 1992;101:459-64

Older adults; see Aged

Open bite

- Cephalometric changes during treatment with the open bite bionator (Weinbach and Smith). 1992;101:367-74
- Cephalometrics of anterior open bite: a receiver operating characteristic (ROC) analysis (Wardlaw et al). 1992;101:234-43

Open bite—cont'd

- Patterns of incisor root resorption before and after orthodontic correction in cases with anterior open bites (Harris and Butler). 1992;101:112-9

Orthodontic appliances

- Cariostatic effect and fluoride release from a visible light-curing adhesive for bonding of orthodontic brackets (Øgaard et al). 1992;101:303-7
- A cephalometric study of Class II, Division 1 treatment using differential torque mechanics (Nasiopoulos et al). 1992;101:276-80
- Clinical application of the ACCO appliance. Part I (Warren). 1992;101:101-11 (Case rep.)
- Clinical application of the ACCO appliance. Part II (Warren). 1992;101:199-209 (Case rep.)
- Comparison in shear bond strength of orthodontic brackets between five bonding systems related to different etching times: an in vitro study (Surmont et al). 1992;101:414-9
- Composition and in vitro corrosion of orthodontic appliances (Grimsdottir et al). 1992;101:525-32
- Differential tooth movement in "uphill cases" (Parkhouse). 1992;101:491-500 (Case rep.)
- The first direct bonding in orthodontia, revisited (Mitchell). 1992;101:187-9 (Viewpoint)
- First direct bonding in orthodontia (Newman). 1992;101:190-1 (Viewpoint)
- Laser-aided debonding of orthodontic ceramic brackets (Strobl et al). 1992;101:152-8
- A 12-month clinical evaluation of a glass polyalkenoate cement for the direct bonding of orthodontic brackets (Fricker). 1992;101:381-4 (Clin. corner)

Orthodontics

- A crisis in orthodontists? It's time to look within (Cordray). 1992;101:472-6 (Viewpoint)
- Orthodontic practice in the 90s "The second golden age" (Clark). 1992;101:484-5 (Litigation/legis. update)

Orthopedic mask; see Masks**P****Pain**

- Orthodontic treatment and temporomandibular joint disorders (Rendell et al). 1992;101:84-7
- Patient discomfort levels at the time of debonding: a pilot study (William and Bishara). 1992;101:313-7

Patient satisfaction; see Consumer satisfaction**PCB**

- Long-term occlusal guidance of a severely intoxicated patient with yusho (PCB poisoning): a case report (Shimizu et al). 1992;101:393-402 (Case rep.)

Periodontal force

- Periodontal force: a potential cause of relapse (Southard et al). 1992;101:221-7

Photography

- A three-dimensional measuring system for the human face using three-directional photography (Motoyoshi et al). 1992;101:431-40

Physician-patient relations

- Terminating the doctor-patient relationship: Abandonment or not? (Jerrold). 1992;101:570-1 (Litigation/legis. update)

Polytomography; see Tomography**Postoperative complications**

- Failure of surgical orthodontics due to temporomandibular joint

- internal derangement and postsurgical condylar resorption (Kirk). 1992;101:375-80 (Case rep.)

Posture

- Cervical and craniocervical posture as predictors of craniofacial growth (Solow and Siersbæk-Nielsen). 1992;101:449-58

Practice transition

- Successful practice transition—What's the price? (Joyner). 1992;101:288-9 (Litigation/legis. update)

Premolar

- The effect of maxillary first premolar extraction and incisor retraction on mandibular position: testing the central dogma of "functional orthodontics" (Luecke and Johnston). 1992;101:4-12
- Orthodontic risk factors for temporomandibular disorders (TMD). I. Premolar extractions (Kremenak et al). 1992;101:13-20

Pulp

- Pulpal response to orthodontic tooth movement in adolescents: a radiographic study (Popp et al). 1992;101:228-33

Purchasing

- Successful practice transition—What's the price? (Joyner). 1992;101:288-9 (Litigation/legis. update)

Q**Quality assurance**

- A crisis in orthodontists? It's time to look within (Cordray). 1992;101:472-6 (Viewpoint)

R**Radiography**

- Pulpal response to orthodontic tooth movement in adolescents: a radiographic study (Popp et al). 1992;101:228-33

Range of motion

- Longitudinal study of signs of temporomandibular disorders (TMD) in orthodontically treated and nontreated groups (Hirata et al). 1992;101:35-40

Receiver operating characteristic; see ROC curve**Reference standards**

- Data and patterns of transverse dentofacial structure of 6- to 15-year-old children: a posteroanterior cephalometric study (Athanasίου et al). 1992;101:465-71
- Diagnosis of skeletal form on the lateral cephalogram with a finite element-based expert system (Fine and Lavelle). 1992;101:318-29

Relapse

- Considerations of dentofacial growth in long-term retention and stability: Is active retention needed? (Nanda and Nanda). 1992;101:297-302
- Periodontal force: a potential cause of relapse (Southard et al). 1992;101:221-7

Research

- TMJ research: responsibility and risk (Behrents and White). 1992;101:1-3 (Viewpoint)

Resins

- A study of bond strength between light- and self-cured orthodontic resin (Wang and Meng). 1992;101:350-4

Retention

- Considerations of dentofacial growth in long-term retention and stability: Is active retention needed? (Nanda and Nanda). 1992;101:297-302

Retraction

- Controlled retraction of maxillary incisors (Gjessing). 1992;101:120-31

Reviews

Reviews. 1992;101:99, 196-7, 290-5, 388-91, 486-9, 572-5

Risk

Risk preclusion (Wheeler). 1992;101:194-5 (Litigation/legis. update)

ROC curve

Cephalometrics of anterior open bite: a receiver operating characteristic (ROC) analysis (Wardlaw et al). 1992;101:234-43

Root resorption

Patterns of incisor root resorption before and after orthodontic correction in cases with anterior open bites (Harris and Butler). 1992;101:112-9

S

Sex characteristics

Some vertical lineaments of lip position (Peck et al). 1992;101:519-24

Shear bond strength; see Bond strength

Skull, growth

Cervical and craniocervical posture as predictors of craniofacial growth (Solow and Siersbæk-Nielsen). 1992;101:449-58

Sleep apnea syndromes

Obstructive sleep apnea subtypes by cluster analysis (Tsuchiya et al). 1992;101:533-42

Soft tissue

Analysis of soft tissue facial profile in white males (Zylinski et al). 1992;101:514-8

Soft tissue changes associated with double jaw surgery (Jensen et al). 1992;101:266-75

Soft tissue response to mandibular advancement and genioplasty (Ewing and Ross). 1992;101:550-5

Special articles

Special articles. 1992;101:159-71, 477-82, 556-65

Specialties

A crisis in orthodontists? It's time to look within (Cordray). 1992;101:472-6 (Viewpoint)

Staff

Total quality experience (Pearman). 1992;101:385-7 (Litigation/legis. update)

Surgery

A comparison of outcomes of orthodontic and surgical-orthodontic treatment of Class II malocclusion in adults (Proffit et al). 1992;101:556-65 (Special article)

T

Temperature

Thermal properties of a methyl methacrylate-based orthodontic bonding adhesive (Rueggeberg et al). 1992;101:342-9

Temporomandibular joint

Temporomandibular joint sounds: correlation to joint structure in fresh autopsy specimens (Widmalm et al). 1992;101:60-9

Temporomandibular joint sounds and condyle/disk relations on magnetic resonance images (Sutton et al). 1992;101:70-8

Temporomandibular joint diseases

An analytic method for evaluating condylar position in the TMJ and its application to orthodontic patients with painful clicking (Sakuda et al). 1992;101:88-96

A comparison of clinical examination, history, and magnetic resonance imaging for identifying orthodontic patients with temporomandibular joint disorders (Hans et al). 1992;101:54-9

Failure of surgical orthodontics due to temporomandibular joint internal derangement and postsurgical condylar resorption (Kirk). 1992;101:375-80 (Case rep.)

Longitudinal study of signs of temporomandibular disorders (TMD) in orthodontically treated and nontreated groups (Hirata et al). 1992;101:35-40

Orthodontic risk factors for temporomandibular disorders (TMD). I. Premolar extractions (Kremenak et al). 1992;101:13-20

Orthodontic TMJ litigation in the 1990s: an ounce of prevention is worth a pound of cure (Barbat). 1992;101:97-8 (Litigation/legis. update)

Orthodontic treatment and temporomandibular joint disorders (Rendell et al). 1992;101:84-7

Orthodontics as a risk factor for temporomandibular disorders (TMD). II (Kremenak et al). 1992;101:21-7

Relationship between orthodontic treatment, condylar position, and internal derangement in the temporomandibular joint (Artun et al). 1992;101:48-53

The risk of orthodontic treatment for producing temporomandibular mandibular disorders: a literature overview (Sadowsky). 1992;101:79-83

TMJ research: responsibility and risk (Behrens and White). 1992;101:1-3 (Viewpoint)

Temporomandibular joint syndrome

Craniomandibular disorders with special reference to orthodontic treatment: an evaluation from childhood to adulthood (Egermark and Thilander). 1992;101:28-34

Prevalence of temporomandibular joint internal derangement in patients with craniomandibular disorders (Paesani et al). 1992;101:41-7

TMJ; see Temporomandibular joint

Tomography

An analytic method for evaluating condylar position in the TMJ and its application to orthodontic patients with painful clicking (Sakuda et al). 1992;101:88-96

Tooth, impacted

Impacted maxillary canines: a review (Bishara). 1992;101:159-71 (Special article)

Tooth crowding; see Malocclusion

Tooth eruption

An example of regional variation in the tempos of tooth mineralization and hand-wrist ossification (Mappes et al). 1992;101:145-51

Tooth extraction

The effect of maxillary first premolar extraction and incisor retraction on mandibular position: testing the central dogma of "functional orthodontics" (Luecke and Johnston). 1992;101:4-12

The influence of extraction and nonextraction orthodontic treatment on brachyfacial and dolichofacial growth patterns (Klapper et al). 1992;101:425-30

Orthodontic risk factors for temporomandibular disorders (TMD). I. Premolar extractions (Kremenak et al). 1992;101:13-20

Tooth mineralization

An example of regional variation in the tempos of tooth mineralization and hand-wrist ossification (Mappes et al). 1992;101:145-51

Tooth movement

Differential tooth movement in "uphill cases" (Parkhouse). 1992;101:491-500 (Case rep.)

Tooth movement—cont'd

Pulpal response to orthodontic tooth movement in adolescents: a radiographic study (Popp et al). 1992;101:228-33

Torque mechanics

A cephalometric study of Class II, Division 1 treatment using differential torque mechanics (Nasiopoulos et al). 1992;101:276-80

V

Vertical dimension

Differential tooth movement in "uphill cases" (Parkhouse). 1992;101:491-500 (Case rep.)

Viewpoint

Viewpoint. 1992;101:1-3, 187-91, 472-6

W

White spots; see Caries**Wires**

A simple technique to minimize patient cross-contamination (Sylvester). 1992;101:566 (Clin. corner)

Wrist

An example of regional variation in the tempos of tooth mineralization and hand-wrist ossification (Mappes et al). 1992;101:145-51

Y

Yusho

Long-term occlusal guidance of a severely intoxicated patient with yusho (PCB poisoning): a case report (Shimizu et al). 1992;101:393-402 (Case rep.)

